

POWER
SPORTS



**PRODUCT
GUIDE**

BELRAY.COM

**MADE
IN THE
USA**






FLEX YOUR ENGINE

A detailed, close-up photograph of a motorcycle engine, showing various mechanical components like the cylinder head, intake manifold, and timing chain. The engine is dark and metallic, with some parts appearing slightly worn or oily. The lighting is dramatic, highlighting the textures and shapes of the engine parts.

FLEX YOUR ENGINE

A detailed, close-up photograph of a motorcycle engine, showing various components like the cylinder head, intake manifold, and timing chain cover. The engine is dark and metallic, with some parts appearing polished. The background is black, making the engine stand out. The image is framed by a white outline that follows the general shape of the engine and the text area.

Some performance-enhancing substances are completely legal.

Bel-Ray doesn't just lubricate your bike's moving parts, it brings your engine to life.

Bel-Ray unleashes your bike's full potential, while increasing the life-span of each moving part. There's less friction, so there's less abrasive wear and your engine runs cleaner too.

When what goes into your bike matters, use Bel-Ray total performance lubricants.

Contact your local distributor or email Bel-Ray Customer Service at customerservice@belray.com for more information.



FLEX YOUR ENGINE

LEGACY

For nearly 70 years, Bel-Ray products have proven their value, setting the highest standards of quality and performance. A leader in lubrication technology, our products have been engineered to protect while delivering superior business value for applications in aerospace, automotive, energy, food, marine, military, mining, motorcycle, OEM, powersports, steel and textile and other industries served by our Marine, Powersports, Industrial and Mining Divisions.

SUSTAINABILITY



The **Environmental Carbon Management (ECM)** Program reduces our overall carbon footprint with responsible waste management by implementing eco-friendly/partially recycled products, packaging, collateral and more. Look for the ECM logo on all Bel-Ray products!

As part of our commitment to quality and success, Bel-Ray continually develops new products to better serve your Powersports needs. For the most current product selection, please visit Belray.com.

VALUE

- Nearly 70 years of experience
- On-site R&D
- Environmental Carbon Management (sustainability program)
- Unrivalled customer support
- International Marketing & PR
- Global presence
- Products Made in the USA
- Iconic sponsorships
- Strategic network of regional offices
- International subsidiaries, distributors & agents

PRODUCT UPDATES

- Synthetic Gear Oil (p 9)
- Chain Cleaner (p 22)
- Racing Brake Fluid (p 27)
- Bike Wash (p 30)
- Contact Cleaner (p 32)
- All in One Fuel Treatment (p 33)

NEW PACKAGING

- Innovative New Products
- Enhanced Packaging
- Easy-Pour Spout
- Pull-Out Information booklet in 25 languages



NEW PRODUCTS

NEW

NEW PRODUCTS

Available Now

- Chain Cleaner (p 22)
- Bike Wash (p 30)
- Contact Cleaner (p 32)
- All In One Fuel Treatment (p 33)





NEW

NEW PRODUCTS

Available Now

- Gear Saver Synthetic Gear Oil 75W - 90 (p 9)
- Gear Saver Synthetic Gear Oil 75W - 140 (p 9)
- Thumper Racing Works 10W - 60 (p14)
- Racing Brake Fluid (p 27)
- Synthetic Shock Oil 40 (p 25)



STREET



EXS SYNTHETIC ESTER 4T ENGINE OIL

API SM & Certified JASO MA2

- Synthetic Ester with Extreme Pressure (anti-wear) Additives
- Delivers ultimate performance, protection and power
- Increased fuel economy
- Premium transmission and wet clutch performance
- All viscosity grades are available in 1 liter and 4 liter bottles as well as kegs and pails

Group Part #s	Available Grades
99150	5W - 40
99161	10W - 40
99160	10W - 50
99162	15W - 50

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
4 Liter	B4LW	4
Keg	KE	1
Drum	DR	1



EXP SYNTHETIC ESTER BLEND 4T ENGINE OIL

API SM & Certified JASO MA2

- Synthetic Ester blend with Extreme Pressure (anti-wear) Additives
- Provides exceptional component protection and increased horsepower
- Premium anti-wear properties
- Superior transmission and wet clutch performance
- All viscosity grades are available in 1 liter and 4 liter bottles as well as kegs and pails

Group Part #s	Available Grades
99110	10W - 30
99120	10W - 40
99130	15W - 50
99131	20W - 50

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
4 Liter	B4LW	4
Keg	KE	1
Drum	DR	1



EXL MINERAL 4T ENGINE OIL

API SM & Certified JASO MA2

- Delivers outstanding protection
- Exceeds all OEM requirements
- Long change intervals
- Excellent transmission and wet clutch performance
- All viscosity grades are available in 1 liter and 4 liter bottles as well as kegs and pails

Group Part #s	Available Grades
99090	10W - 40
99100	20W - 50

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
4 Liter	B4LW	4
Keg	KE	1
Drum	DR	1

SHOP OIL

API SL Conforms to JASO MA/MA2



- Provides excellent performance, engine protection and reliable all-season use
- Equally suitable for air-cooled and liquid-cooled engines
- Superior deposit control reduces sludge and varnish for cleaner, cooler running engines
- Minimizes deposit formation and reduces oil consumption
- Both viscosity grades are available in kegs and drums

Group Part #s	Available Grades
99433	10W - 40
99435	20W - 50

Available Sizes	Size Codes	Case Qty
Keg	KE	1
Drum	DR	1

STREET



MC - 4T

API SL & JASO MA2

- Petroleum-based formula
- Reduces oil consumption
- For air-cooled/liquid-cooled 4T engines with wet clutches
- Not available in all regions
- Both viscosity grades are available in kegs and drums

Group Part #s	Available Grades
99401	10W - 40
99405	20W - 50

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
4 Liter	B4LW	4



GEAR SAVER HYPOID GEAR OIL

API GL-5

- Formulated for separate transmissions and final drive units
- Smoother shifting and reduced gear whine
- Extreme Pressure additives reduce component wear
- For motorcycles and ATVs (not for wet clutches)
- Both viscosity grades are available in 1 liter and 4 liter bottles as well as kegs and pails

Group Part #s	Available Grades
99230	80W - 90
99234	85W - 140

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
Pail	PA	1
Keg	KE	1
Drum	DR	1



NEW



GEAR SAVER SYNTHETIC HYPOID GEAR OIL

API GL-5

- Formulated for separate transmissions and final drive units
- Smoother shifting and reduced gear whine
- Extreme Pressure additives reduce component wear
- For motorcycles and ATVs (not for wet clutches)
- Both viscosity grades are available in 1 liter and 4 liter bottles as well as kegs and pails

Group Part #s	Available Grades
99236	75W - 90
99238	75W - 140

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
Pail	PA	1
Keg	KE	1
Drum	DR	1

TECHNICAL QUESTIONS?

Ask Sir Tech!

Visit our resident expert in the TECHNICAL section at belray.com.

V-TWIN



V-TWIN SYNTHETIC ENGINE OIL

API SM & Certified JASO MA2 MADE in the USA

- Synthetic Ester with Extreme Pressure (anti-wear) Additives
- Delivers ultimate performance, protection and power
- Increased fuel economy
- Premium transmission and wet clutch performance
- Available in 1 liter and 4 liter bottles

Group Part #s	Available Grades
96915	10W - 50

Available Sizes	Size Codes	Case Qty
1 Liter	BT1	12
4 Liter	BT4	4




V-TWIN SEMI-SYNTHETIC ENGINE OIL

API SM & Certified JASO MA2 MADE in the USA

- Synthetic Ester blend with Extreme Pressure (anti-wear) Additives
- Provides exceptional component protection and increased horsepower
- Premium anti-wear properties
- Superior transmission and wet clutch performance
- Available in 1 liter and 4 liter bottles

Group Part #s	Available Grades
96910	20W - 50

Available Sizes	Size Codes	Case Qty
1 Liter	BT1	12
4 Liter	BT4	4



V-TWIN ENGINE OIL

API SM & Certified JASO MA2 MADE in the USA

- Delivers outstanding protection
- Exceeds all OEM specifications
- Long change intervals
- Excellent transmission and wet clutch performance
- Available in 1 liter and 4 liter bottles

Group Part #s	Available Grades
96905	20W - 50

Available Sizes	Size Codes	Case Qty
1 Liter	BT1	12
4 Liter	BT4	4



V-TWIN SHOP OIL

API SL Conforms to JASO MA/MA2 MADE in the USA

- Provides excellent performance, engine protection and reliable all-season use
- Equally suitable for air-cooled and liquid-cooled engines
- Superior deposit control reduces sludge and varnish for cleaner, cooler running engines
- Minimizes deposit formation and reduces oil consumption
- Available in kegs and drums

Group Part #s	Available Grades
99439	20W - 50

Available Sizes	Size Codes	Case Qty
Keg	KE	1
Drum	DR	1

V-TWIN



BIG TWIN TRANSMISSION OIL

API GL-5 MADE in the USA

- Formulated for motorcycles with separate transmissions and/or final drives
- Wear protection extends gear life
- Quiets gear whine and improves shifting
- For Big Twin, air-cooled/liquid-cooled transmissions and final drives

Group Part #s	Available Grades
96900	85W - 140

Available Sizes	Size Codes	Case Qty
1 Liter	BT1	12




SPORT TRANSMISSION FLUID

MADE in the USA

- Formulated for the transmission and primary of Sportster® motorcycles
- Wear protection extends transmission life
- Prevents clutch slipping and chatter for consistent engagement
- Distinctive red color for easy leak detection
- For Sportster® transmissions

Group Part #s	Available Grades
96925	85W

Available Sizes	Size Codes	Case Qty
1 Liter	BT1	12



PRIMARY CHAINCASE LUBRICANT

MADE in the USA

- Formulated for primary chains and wet clutches
- Wear protection extends primary chain life and protects gears from wear
- Prevents clutch slipping and chatter for consistent engagement
- Distinctive red color for easy leak detection
- For Big Twin, air-cooled/liquid-cooled for primary chaincases

Group Part #s	Available Grades	Available Sizes	Size Codes	Case Qty
96920	80W	1 Liter	BT1	12

DID YOU KNOW?

The Lubricant Advisor at belray.com provides custom service schedules and suggested products specifically for your vehicle. Simply select your make, model and type to take your machine's performance to the next level.

OFF ROAD



THUMPER RACING WORKS SYNTHETIC ESTER 4T ENGINE OIL

API SM & Certified JASO MA2,
Husqvarna Motorcycles OEM approved 10W - 50

- Synthetic Ester formula for the ultimate Thumper performance
- Withstands extreme racing conditions
- For air-cooled/liquid-cooled 4T engines with wet clutches
- Both viscosity grades are available in 1 liter and 4 liter bottles

Group Part #s	Available Grades
99550	10W - 50
99551	10W - 60

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
4 Liter	B4LW	4



THUMPER RACING SYNTHETIC ESTER BLEND 4T ENGINE OIL

API SM & Certified JASO MA2

- Synthetic Ester blend for racing engines
- Maximum horsepower and consistent clutch performance
- Wear protection for valve-trains, rings, cylinders and pistons
- For air-cooled/liquid-cooled 4T engines with wet clutches
- Both viscosity grades are available in 1 liter and 4 liter bottles

Group Part #s	Available Grades
99520	10W - 40
99530	15W - 50

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
4 Liter	B4LW	4



Photo: Husqvarna Motorcycles, R. Schedl



THUMPER RACING FRICTION MODIFIED 4T ENGINE OIL

API SM & JASO MB

- Formulated for machines with separate engines and transmissions
- Reduces friction
- Increases horsepower
- For air-cooled/liquid-cooled 4T engines (not for wet clutches)
- Both viscosity grades are available in 1 liter bottles

Group Part #s	Available Grades
99210	10W - 30
99220	10W - 40

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12



THUMPER GEAR SAVER TRANSMISSION OIL

- Formulated to protect transmission gears from wear
- Maximum clutch performance and smooth shifting
- Wear protection extends clutch life
- For 2T/4T transmissions with a wet clutch
- Available in both 1 liter and 4 liter bottles

Group Part #s	Available Grades
99510	80W - 85

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
Pail	PA	1

OFF ROAD



GEAR SAVER TRANSMISSION OIL

- Formulated to protect transmission gears from wear
- Positive clutch engagement for better starts and longer clutch life
- Protects shafts, bearings and gears
- For air-cooled/liquid-cooled 2T/4T transmissions with wet clutches
- Both viscosity grades are available in 1 liter bottles as well as pails, kegs and drums

Group Part #s	Available Grades
99240	75W
99250	80W

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
Pail	PA	1
Keg	KE	1
Drum	DR	1

DID YOU KNOW?

Jason Anderson and the Rockstar Energy KTM team relied on Bel-Ray products to perform on their way to winning the 2014 250 Supercross West Coast Championship.





Photo: Husqvarna Motorcycles, R. Schedl



H1-R 100% SYNTHETIC ESTER 2T ENGINE OIL

JASO FD

- Synthetic Ester formula for power-valve 2T engines
- Keeps power-valves clean and responsive for increased horsepower
- Superior film strength prevents wear
- Suitable for manufacturers recommended mix ratios
- CIK-FIA approved for use in racing kart engines
- Pre-mix only for air-cooled / liquid-cooled 2T power-valve engines (not for methanol fuel)

Group Part #s	Available Grades
99280	n/a

Available Sizes	Size Codes	Case Qty
355 ml	B355W	12
1 Liter	B11W	12
4 Liter	B41W	4
Drum	DR	1



MC-1 RACING FULL SYNTHETIC 2T ENGINE OIL

- Synthetic Ester formula for non-power-valve, 2T engines
- Withstands extreme racing conditions
- Suitable for mix ratios up to 100:1
- Pre-mix for air-cooled/liquid-cooled 2T non-power-valve engines (not for methanol fuel)

Group Part #s	Available Grades
99400	n/a

Available Sizes	Size Codes	Case Qty
355 ml	B355W	12
Drum	DR	1

OFF ROAD



SI-7 SYNTHETIC 2T ENGINE OIL

API TC, JASO FD, ISO-L-EGD,
Husqvarna Motorcycles OEM approved

- Clean-burning, synthetic ester for injector/auto-lube or pre-mix applications
- Provides a high level of protection and performance for all 2-stroke engines
- Formulated to reduce smoke and carbon residue
- For 2T engines

Group Part #s	Available Grades
99440	n/a

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
Keg	KE	1
Drum	DR	1




SL-2 SEMI-SYNTHETIC 2T ENGINE OIL

API TC, JASO FD, ISO-L-EGD

- Clean-burning synthetic blend for injector/auto-lube or pre-mix applications
- Wear protection extends engine life
- For 2T engines

Group Part #s	Available Grades
99460	n/a

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
Keg	KE	1
Drum	DR	1



2T MINERAL ENGINE OIL

- Clean-burning, petroleum-based formula for injector/auto-lube or pre-mix applications
- Wear protection extends engine life
- Improves ring seal for maximum compression
- For 2T engines

Group Part #s	Available Grades
99010	n/a

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
Drum	DR	1

Bel-Ray is Husqvarna Motorcycles official technical partner and the OEM partner for the first fill on Husqvarna motorcycles manufactured in Mattighofen.



SCOOTER & ATV



SCOOTER SYNTHETIC ESTER BLEND 4T ENGINE OIL

API SM & Certified JASO MA2

- Synthetic blend for 4T scooters
- Maximum wear protection and deposit control
- Suitable for city environments
- For air-cooled/liquid-cooled 4T scooter engines with wet clutches
- Both viscosity grades are available in 1 liter and 4 liter bottles as well as drums

Group Part #s	Available Grades
99429	5W - 40
99430	10W - 30

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
4 Liter	B4LW	4
Drum	DR	1



SCOOTER SEMI-SYNTHETIC 2T ENGINE OIL

API TC, JASO FD, ISO-L-EGD

- Clean-burning, synthetic blend for 2T scooters
- Wear protection extends engine life
- Prevents ring sticking and spark plug fouling
- For air-cooled/liquid-cooled 2T scooter engines with wet clutches

Group Part #s	Available Grades
99420	n/a

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
Drum	DR	1



ATV TRAIL MINERAL 4T ENGINE OIL

API SM

- Petroleum-based formula for the unique demands of 4T ATVs and UTVs
- Rust Defense System coats engine components for corrosion protection
- Wear protection extends engine life
- For air-cooled/liquid-cooled 4T engines with wet clutches
- Both viscosity grades are available in 1 liter and 4 liter bottles as well as drums

Group Part #s	Available Grades
99040	10W - 30
99050	10W - 40

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
4 Liter	B4LW	4
Drum	DR	1

SERVICE

NEW




CHAIN CLEANER

- Fast and economical removal of grease, grime and dirt from chains
- No residue ensures optimum performance of chains. Can apply new chain lube directly after use
- Easy to use aerosol spray applicator for best results in difficult to reach areas
- O-ring safe for all common o-ring materials found in chains

Group Part #s	Available Grades	Available Sizes	Size Codes	Case Qty
99478	n/a	400ml	A400W	12

Visit the Technical tab on belray.com for great tips to improve your drive chain's life and performance.



BLUE TAC CHAIN LUBE

Husqvarna Motorcycles OEM approved

- Designed to resist fling-off (even in high speed applications)
- Wear and corrosion protection for long chain and sprocket life
- Sprays on blue, dries clear
- For chain applications, including 'O', 'X' and 'Z' ring units and roller chains

Group Part #s	Available Grades
99060	n/a

Available Sizes	Size Codes	Case Qty
175 ml	A175W	12
400 ml	A400W	12

**175 ml aerosol not available in Canada*



SUPERCLEAN CHAIN LUBE

Husqvarna Motorcycles OEM approved

- Designed to resist fling-off (even in high speed applications)
- Protective coating dries white to ensure complete coverage
- Will not fling-off or attract dirt, sand or grit
- Wear and corrosion protection for long chain and sprocket life
- For chain applications, including 'O', 'X' and 'Z' ring units and roller chains

Group Part #s	Available Grades
99470	n/a

Available Sizes	Size Codes	Case Qty
175 ml	A175W	12
400 ml	A400W	12

SERVICE



HIGH PERFORMANCE FORK OIL

- Formulated for front forks
- Reduces fade for smooth operation
- Eliminates stiction and drag, improving fork action
- Anti-wear and anti-foam
- All grades are available in 1 liter bottles as well as pails and drums

Group Part #s	Available Grades
99290	2.5W
99300	5W
99310	7W
99320	10W
99330	15W
99340	20W
99350	30W

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
Pail	PA	1
Drum	DR	1



HVI RACING SUSPENSION FLUID

- Formulated for rear shock absorbers
- Consistent dampening at elevated temperatures
- High Viscosity Index eliminates suspension fading
- Long lasting, reliable performance
- All grades are available in 1 liter bottles as well as pails and drums

Group Part #s	Available Grades
99360	3W
99370	5W
99380	10W
99390	15W

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
Pail	PA	1
Drum	DR	1



SYNTHETIC SHOCK OIL 40

- Synthetic Ester formula for maximum performance
- Formulated for rear shock absorbers
- Consistent dampening at elevated temperatures

Group Part #s	Available Grades
99500	ISO VG15 & 5W

Available Sizes	Size Codes	Case Qty
Pail	PA	1

SERVICE



SUPER DOT4 BRAKE FLUID

FMVSS SEC, 571.116, SAE J1703, ISO 4925,
Husqvarna Motorcycles OEM Approved

- Formulated for hydraulic brake systems
- Mixes with all fluids meeting DOT 3 and DOT 4 specifications
- Boiling point: Dry 272 °C (522 °F), Wet 169 °C (336 °F)

Group Part #s	Available Grades	Available Sizes	Size Codes	Case Qty
99480	n/a	355ml	B355W	12



SILICONE DOT5 BRAKE FLUID

- Mixes with all fluids meeting DOT 5 specifications (not compatible with DOT 3 and DOT 4)
- Boiling point: Dry 260 °C (500 °F), Wet 185 °C (365 °F)
- Will not damage paint or absorb moisture
- For brake systems and hydraulic clutches, except systems using mineral brake fluids

Group Part #s	Available Grades	Available Sizes	Size Codes	Case Qty
99450	n/a	355ml	B355W	12



NEW



RACING BRAKE FLUID

Husqvarna Motorcycles OEM Approved

- Higher performance than DOT 5.1 fluids
- For consistent braking at extreme heats
- Ideal for racing conditions with heavy braking
- Compatible with all DOT 3, DOT 4 and DOT 5.1 fluids

Group Part #s	Available Grades
99482	n/a

Available Sizes	Size Codes	Case Qty
355ml	B355W	12

IMPORTANT BRAKE FLUID TIP

Remember DOT 3, DOT 4, DOT 5.1 and Racing Brake Fluid are all compatible. However, none are compatible with DOT 5 brake fluids.

SERVICE



FOAM FILTER CLEANER & DEGREASER

- Designed to clean foam and fiber air filters
- Can also be used as an engine degreaser
- Will not discolor metals, paints or finishes

Group Part #s	Available Grades
99180	n/a

Available Sizes	Size Codes	Case Qty
400ml	A400W	12



FOAM FILTER OIL

- Designed to improve air flow
- Traps microscopic particles to extend engine life
- Waterproof formula prevents clogging when wet
- For foam air filters
- Available in 400ml aerosol as well as 1 liter and 4 liter bottles and drums

Group Part #s	Available Grades
99200 aerosol	n/a
99190 liquid	n/a

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
400 ml	A400W	12
4 Liter	B4LW	4
Drum	DR	1



FIBER FILTER OIL

- Traps microscopic particles to extend engine life
- Will not clog or restrict air flow
- Water-resistant
- For fiber/gauze air filters

Group Part #s	Available Grades
99170	n/a

Available Sizes	Size Codes	Case Qty
400ml	A400W	12



WATERPROOF GREASE

Husqvarna Motorcycles OEM Approved

- Waterproof grease for all bearing and bushing applications
- Corrosion protection, even in salt water
- Wear protection extends bearing life
- Will not melt or run

Group Part #s	Available Grades
99540	n/a

Available Sizes	Size Codes	Case Qty
14 oz Cartridge	CF14	12
16 oz Tub	Tb16W	12
Pail	PA	1

SERVICE

NEW



BIKE WASH

- Softens and lifts most accumulated dirt and grime without rubbing or brushing
- Clean rinse formula easily rinses away with water
- Biodegradable and environmentally friendly
- Contains no volatile solvents or other potentially harmful chemicals

Group Part #s	Available Grades
99560	n/a

Available Sizes	Size Codes	Case Qty
32 oz spray bottle	BTQS	12



SILICONE DETAILER & PROTECTANT SPRAY

- Specially formulated to produce a factory finish
- Resists dust and dirt on treated surface
- Treats most surfaces including rubber
- Excellent for winterizing and storage protection
- Protects surfaces from UV fade and oxidation

Group Part #s	Available Grades
99455	n/a

Available Sizes	Size Codes	Case Qty
400 ml	A400W	12



Photo: Husqvarna Motorcycles, J.P. Acevedo



6 IN 1 MULTIPURPOSE LUBRICANT

Husqvarna Motorcycles OEM approved

- Multi-purpose lubricant
- Cleans, lubricates, protects, displaces water, reduces friction and penetrates rust
- Safe for use on electrical contacts, vinyl, wood and paint

Group Part #s	Available Grades
99020	n/a

Available Sizes	Size Codes	Case Qty
175 ml	A175W	12
400 ml	A400W	12

*175 ml aerosol not available in Canada



MOTO CHILL RACING COOLANT

Husqvarna Motorcycles OEM approved

- Non-toxic, Propylene Glycol anti-freeze
- Protects aluminum and magnesium components from corrosion
- Pre-mixed, ready to use
- Compatible with all common coolants

Group Part #s	Available Grades
99410	n/a

Available Sizes	Size Codes	Case Qty
1 Liter	B1LW	12
4 Liter	B4LW	4
Drum	DR	1



NEW



CONTACT CLEANER

- Easy to use aerosol permits pinpoint precision for best results in difficult to reach areas
- Leaves no mess to clean

Group Part #s	Available Grades	Available Sizes	Size Codes	Case Qty
99075	n/a	400 ml	A400W	12



BRAKE AND CONTACT CLEANER

- Designed to clean and degrease all metal surfaces
- Instant dry, no residue
- Safe for use on plastic, paint and rubber
- Not available in the USA due to CARB regulations

Group Part #s	Available Grades	Available Sizes	Size Codes	Case Qty
99070	n/a	400 ml	A400W	12



ASSEMBLY LUBE

- Molybdenum Disulfide formula prevents metal-to-metal contact in extreme pressure conditions
- Prevents galling and seizing
- Provides initial lubrication for newly assembled engine parts

Group Part #s	Available Grades
99030	n/a

Available Sizes	Size Codes	Case Qty
10 oz brush top can	CaB10	12

NEW



ALL IN ONE FUEL TREATMENT

- Increases octane for more efficient combustion and increased engine power
- Cleans fuel lines and injectors to ensure smooth fuel delivery into the combustion chamber
- Neutralizes all of the harmful effects ethanol has on gasoline
- Keeps fuel fresh during storage
- Simple application to fuel with no complicated measuring or mixing

Group Part #s	Available Grades
99570	n/a

Available Sizes	Size Codes	Case Qty
1 oz bottle	BT1OZ	24
4 oz bottle	BT4OZ	12

**Only available in USA*



FLEX YOUR ENGINE

VOLUME DRIVING MERCHANDISING

FLEX YOUR ENGINE FLOOR RACK

- Heavy-duty wheels for easy mobility
- Low square footage display (71" H, 27" W, 19" D)

Decals available
in Marine themes



FLEX YOUR ENGINE COUNTER DISPLAY

- Rotating base for 360° access
- Low square footage display (16" H, 15" W, 14 3/4"D)





FLEX YOUR ENGINE

PROMOTIONAL CLOTHING





ORDER AT
BELRAY.COM



CHECK OUT OUR LUBRICANT ADVISOR FOR SUGGESTED
PRODUCTS FOR YOUR APPLICATION

BELRAY.COM



FLEX YOUR ENGINE

P.O. BOX 526
FARMINGDALE, NJ 07727, USA

TEL +1-732-938-2421 FAX +1-732-938-4232

**MADE
IN THE
U.S.A.**

REV. 14
©2014 BEL-RAY COMPANY, LLC

POWER14